

FIG. 1




FIG. 2a




FIG. 2b





FIG. 4




FIG. 5




FIG. 6

OS ROLE	OPERATING SYSTEM, AGENT
APP ROLE	WEB SERVER, APPLN SERVER
CONTENT ROLE	HTML, JSP, GIF, JPEG

FIG. 7




FIG. 8




FIG. 9A




FIG. 9B

85

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Bundles

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for...

Choose the "Bundle Name" carefully. Naming conventions are not being enforced at this time.

Name:

Type:

Platform:

This Description:

87

FIG. 9C




FIG. 9D




FIG. 9E

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Bundles

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for Customer A

Name: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC

New Version Number: 2

Type: Application

Platform: SunOS 5.7

Previous Description: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC oracle8i-8.1.6-LC~0.sparc64.rpm v1 (Package)
oracccount-1.0-LC~0.sparc64.rpm v1 (Package) orajdbc-12_01-LC~0.sparc64.rpm v1 (Package)
orajre-1.1.7-LC~0.sparc64.rpm v1 (Package) oraenv-1.0-LC~0.sparc64.rpm v1 (Package)

This Description: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC
oracle8i-8.1.6-LC~0.sparc64.rpm v1 (Package)
oracccount-1.0-LC~0.sparc64.rpm v1 (Package)
orajdbc-12_01-LC~0.sparc64.rpm v1 (Package)
orajre-1.1.7-LC~0.sparc64.rpm v1 (Package)
oraenv-1.0-LC~0.sparc64.rpm v1 (Package)

Next-> Cancel

FIG. 9F




FIG. 9G




FIG. 9H

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Bundles](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for...

Name:

New Version Number:

Type:

Platform:

Previous Description: oracle 8.1.6 bundle + rpm to create so tnsnames.ora etc are set up correctly.

This Description:

FIG. 9I

The screenshot shows a web application window with a title bar containing minimize, maximize, and close buttons. The main content area has a header with the text "Read/Write on xxxx.xxxxxx | [Sign out](#)". Below this is a navigation bar with the text "Manage Bundles" and a breadcrumb trail: "Home > [Select a Customer](#) > [Manage Bundles](#) > Set Bundle Status". The main section is titled "SET BUNDLE STATUS" and contains a form with the following elements:

- A label "Narrow OS Platform to:" followed by a dropdown menu set to "All" and a "Go" button.
- A section titled "Deprecate/Activate Bundles" containing two list boxes and two buttons.
- The "Active Bundles" list box contains the following items:
 - Customer Additional Accounts & Subdoers v1
 - oracle 8.1.6 client v1
 - oracle client 8.1.6 w/out tnsauto w/jdbc v1
 - App Instance Customization v1
 - App Instance Customization v2
 - CDT_1_0 fix v1
 - Customer Accounts & Subdoers v1
 - Customer Accounts w/o Subdoers v1
 - Customer Additional Accounts & Subdoers v1
 - Phase 2 - Web Server Config v1
 - Web Instance customization v1
 - Web Instance customization v2
 - CE Accounts v1
 - iPlanet 4.1 w/ JDK 1.2.2_05a v1
- The "Deprecated Bundles" list box is currently empty.
- Between the list boxes are two buttons: "Deprecate >>" and "<< Activate".
- A "COMMIT" button is located at the bottom right of the form.

FIG. 9J




FIG. 9K

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Roles](#)

[Home](#) > Select a Customer

MANAGE ROLES

Select a Customer:

A ☐

A ☐

B ☐

B ☐

C ☐

C ☐

D ☐

D ☐

E ☐

E ☐

F ☐

J ☐

K ☐

•

•

•

FIG. 10A




FIG. 10B

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

Home > [Manage Roles](#) > [Role Type - service](#) > Roles List

MANAGE ROLES

Narrow OS Platform to:

List of Available Application Roles for Customer A

[Beta] Production v1
[Beta] Migration-.01 - Staging v1
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Prod v1
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Staging v1
Apache 1.3.12 + Weblogics 5.1 SP4 Connector v1
Apache 1.3.12 + Weblogics 5.1 SP4 Connector v2
Apache 1.3.12WL5.1 sp4 v1
Apache 1.3.12WL5.1 sp4 v2
ATG5.0 OracleClient 8.1.6 v1
ATG5.0 sp1 Oracle 8.1.6 v1

|

FIG. 10C

The screenshot shows a web browser window with a title bar containing minimize, maximize, and close buttons. The main content area has a header with the text "Read/Write on xxxx.xxxxxx | [Sign out](#)" and a section titled "Manage Roles". Below this is a breadcrumb navigation path: "Home > Manage Roles > Role Type - service > Roles List > Role Information". The central part of the interface is a form titled "MANAGE ROLES" with the subtitle "Role Information for...". Inside the form, there is a instruction: "Choose the 'Role Name' carefully. Naming conventions are not being enforced at this time." followed by input fields for "Name:", "Platform:" (a dropdown menu showing "Select Platform"), and "Service:" (a dropdown menu showing "Select Service"). A reference number "124" is placed to the right of the "Service:" dropdown. At the bottom of the form is a "Description:" label followed by a large text area with a vertical scrollbar. The entire form is enclosed in a rectangular frame with a scrollbar on the right side.

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > Role Information

MANAGE ROLES

Role Information for...

Choose the "Role Name" carefully. Naming conventions are not being enforced at this time.

Name:

Platform:

Service: 124

Description:

FIG. 10D




FIG. 10E

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Roles](#)

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > [Role Information](#)

MANAGE ROLES

Role Information for...

Name: Apache1.3.12WL5.1sp4

New Version Number: 3

Type: Application

Platform: Linux 6.1

Service: WEB

Previous Description: Added customer log rotation

Description:

[Next->](#) [Cancel](#)

FIG. 10F




FIG. 10G




FIG. 10H




FIG. 10I

The screenshot shows a web browser window with a title bar containing standard minimize, maximize, and close buttons. The main content area has a header section with the text "Read/Write on xxxx.xxxxxx | [Sign out](#)" and a "Manage Roles" link. Below this is a breadcrumb trail: "Home > Manage Roles > Role Type - service > Roles List > Role Information". The main panel is titled "MANAGE ROLES" and contains a "Role Information for..." section. This section includes several fields: "Name:" with the value "Apache1.3.12WL5.1sp4", "New Version Number: 2", "Type: Application", "Platform: Linux 6.1", "Service:" with a dropdown menu showing "WEB", and "Customer:" with an empty dropdown menu. Below these is a "Previous Description:" field with the text "Added customer log rotation" and a "Description:" field with the same text. At the bottom right of the panel are "Commit" and "Cancel" buttons.

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Roles](#)

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > Role Information

MANAGE ROLES

Role Information for...

Name:

New Version Number: 2

Type: Application

Platform: Linux 6.1

Service:

Customer:

Previous Description: Added customer log rotation

Description:

FIG. 10J

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

Home > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > View Role

VIEW ROLES

View Role: *Apache1.3.12WL5.1sp4 v1*

Application Role ID: 1390000

Role Details

Name = Apache1.3.12WL5.1sp4

Version = 1

Customer Name = N/A

Type = Application

Platform = Linux 6.1

Service = WEB

Description = Apache1.3.12WL5.1sp4

Status = ACTIVE

+[Apache1.3.12 v1 \(Bundle\)](#)

[-apachesl-1.3.1 0.i386.rpm v1 \(Package\)](#)

[-weblogic_apache_plugin_51sp4- i386.rpm v1 \(Package\)](#)

<-Back

Create New Version

Edit

Edit Name/Description

FIG. 10K




FIG. 10L




FIG. 11A




FIG. 11B

The screenshot displays a web application interface with a title bar and standard window controls. The main content area is divided into several sections:

- Top Bar:** Contains the text "Read/Write on xxxx.xxxxxx | [Sign out](#)".
- Breadcrumbs:** Shows "Other: Dependencies" and "Home > Dependencies".
- Form Fields:** Includes a "Type:" label, an "Element:" label, and a dropdown menu labeled "Application Roles" with the selected value "Apache1.3.12WL5.1sp4 v2 (ACTIVE)".
- Role Details Panel:** A box titled "View role: Apache1.3.12WL5.1sp4 v2" containing:
 - Application Role ID:** 1750000
 - Actions:** [Edit](#) and [Deprecate](#)
 - Role Details:**
 - Name = Apache1.3.12WL5.1sp4
 - Version = 2
 - Customer Name =
 - Type = Application
 - Platform = Linux 6.1
 - Service = WEB
 - Description = Added customer log rotation
 - Status = ACTIVE
 - Dependencies:**
 - Apache1.3.12 (Bundle)
 - customer log rotation (Linux 6.1) (Bundle)
- Devices Table:** A table with columns: Hostname, IP Address, Customer, DataCenter, and EffBegDt.

Hostname	IP Address	Customer	DataCenter	EffBegDt
xxxxxxx.com				10/07/2000
xxxxxxx.com				11/07/2000
xxxxxxx.com				10/07/2000

The bottom of the interface shows a status bar with navigation arrows and the text "1 to 3 of 3".

FIG. 11C